



TRUCK ACCESSORIES

Product Catalogue

Edition 2.5

www.lelox.com

**The only
Stainless Steel
Mudguard
made in Australia**






Our stainless steel mudguards illuminate the highways.

Proudly made in Australia, where durability meets distinction.


Contents

06	Quarter Mudguard Curved Edge	14	Super Single Mudguard Steel Reinforced Edge	24	Quick Release Mudflap Clamp	37	Tail Light Mounts
07	Quarter Mudguard Curved Edge Provision for Mudflap	14	Half Tandem Mudguard Curved Edge	25	Quick Release Mudflap Clamp Tipper	38	Spray Suppressant
08	Single Mudguard Curved Edge	16	Tandem Mudguard Curved Edge	26	Coverstrip	38	Spray Suppressant Accessories
08	Single Mudguard Curved Edge No Grooves	17	Tandem Mudguard Steel Reinforced Edge	27	Plastic Mudguard Dress Strip	40	LELOX's Good Truckin Polish
08	Single Mudguard Curved Edge Low Profile	18	Triaxle Mudguard Curved Edge	28	Front Wheel Arch Flare Kit	42	Merchandise
10	Single Mudguard Steel Reinforced Edge	19	Extra Long Mudguard Curved Edge	30	Mounting Brackets	44	Other Lelox Services
10	Single Mudguard Low Profile 16" Steel Reinforced Edge	20	Cab Chassis Ute Mudguard Steel Reinforced Edge	32	Chassis Pipes Offset	45	Collaborate with Leox
12	Signature Series Mudguard	21	Custom Mudguard	33	Chassis Pipes Straight	46	430 Grade vs 304 Grade
		22	Mudflap	34	PipeLight Holder	47	Notes
		23	Loop Kit	36	C Channel Light Bar	48	Contact

Quarter Mudguards




*500mm on SS11QTSC500 and SS11QTSC500PP



CURVED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11QTSC*	Stainless Steel shiny finish	1.2mm	4.0kg
AM20QTSC	Aluminium mill finish	2.0mm	2.6kg
SS11QTSC500*	Stainless Steel shiny finish	1.2mm	4.0kg
SS11QTSC500PP*	Stainless Steel shiny finish. Pre-punched for brackets	1.2mm	4.0kg

* Available in the Signature Series



CURVED EDGE PROVISION FOR MUDFLAP

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11QTFC*	Stainless Steel shiny finish	1.2mm	4.0kg
AM20QTFC	Aluminium mill finish	2.0mm	2.6kg


* Available in the Signature Series




Single Mudguards




CURVED EDGE



CURVED EDGE NO GROOVES



CURVED EDGE LOW PROFILE



CURVED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11SINC*	Stainless Steel shiny finish	1.2mm	10.2kg
AM20SINC	Aluminium mill finish	2.0mm	6.9kg

CURVED EDGE NO GROOVES

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11SINCNG*	Stainless Steel shiny finish	1.2mm	10.2kg
AM20SINCNG	Aluminium mill finish	2.0mm	6.9kg

CURVED EDGE LOW PROFILE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11SLPC*	Stainless Steel shiny finish	1.2mm	10.2kg
AM20SLPC	Aluminium mill finish	2.0mm	6.9kg


* Available in Signature Series




Single Mudguards



STEEL REINFORCED EDGE



LOW PROFILE 16" STEEL REINFORCED EDGE



STEEL REINFORCED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11SINR*	Stainless Steel shiny finish	1.2mm	11.5kg
AM20SINR	Aluminium mill finish	2.0mm	8.3kg

LOW PROFILE 16" STEEL REINFORCED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11SLPR16*	Stainless Steel shiny finish	1.2mm	8.4kg
AM20SLPR16	Aluminium mill finish	2.0mm	6.3kg

* Available in Signature Series




Signature Series Single Mudguard




AUSTRALIAN MADE
304 grade stainless steel
Full N0.8 mirror finish
Extra thick 1.5mm
Accept no imitations look for the label



EXTRA LONG VERSION (100mm)




SINGLE SIGNATURE



EXTRA LONG VERSION (200mm)



CANDY CANE STYLE (250mm FLAT SECTION)



SIGNATURE SERIES MUDGUARD

PART NUMBER

- SS15304SINCNG
- SS15304SINCNG2000
- SS15304SINCNG2200
- SS15304SINCNG250F

MATERIAL

- Signature Series Single Mudguard Curved Edge No Grooves
- Signature Series Single Mudguard Curved Edge No Grooves 100mm Wrap Each Side
- Signature Series Single Mudguard Curved Edge No Grooves 200mm Wrap Each Side
- Signature Series Single Mudguard Curved Edge No Grooves 250mm Drop One Side Candy Cane Style





Super Single Mudguards


STEEL REINFORCED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11SSNR*	Stainless Steel shiny finish	1.2mm	8.8kg
AM20SSNR	Aluminium mill finish	2.0mm	6.6kg

* Available in Signature Series





6mm deep
steel rod 8mm diameter
rolled into edge




Half Tandem Mudguards

CURVED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11HTMC	Stainless Steel shiny finish	1.2mm	10.2kg
AM20HTMC	Aluminium mill finish	2.0mm	6.9kg






6mm deep
35mm radius
40mm
105mm 105mm
22deg



Tandem Mudguards

PLEASE NOTE: When mounting tandem / triaxle mudguards, the flat section of the mudguard MUST be supported. LELOX recommends the use of an offset chassis pipe (OSCPSS) and flat bracket (MMABF).




CURVED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11TANC	Stainless Steel shiny finish	1.2mm	18.2kg
AM20TANC	Aluminium mill finish	2.0mm	11.8kg

STEEL REINFORCED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11TANR	Stainless Steel shiny finish	1.2mm	18.2kg
AM20TANR	Aluminium mill finish	2.0mm	11.8kg





Triaxle Mudguards

PLEASE NOTE: When mounting tandem / triaxle mudguards, the flat section of the mudguard MUST be supported. LELOX recommends the use of an offset chassis pipe (OSCPSS) and flat bracket (MMABF).

CURVED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11TRIC	Stainless Steel shiny finish	1.2mm	24.5kg
AM20TRIC	Aluminium mill finish	2.0mm	15.9kg



Extra Long Mudguards

Can be grooved or smooth. Made to order.
100mm additional on each end of our standard single mudguard.
200mm additional on each end of our standard single mudguard.


CURVED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11SINC2000*	Stainless Steel shiny finish	1.2mm	11.33kg
SS11SINCNG2000*	Stainless Steel shiny finish	1.2mm	11.33kg
SS11SINC2200*	Stainless Steel shiny finish	1.2mm	12.47kg
SS11SINCNG2200*	Stainless Steel shiny finish	1.2mm	12.47kg

* Available in Signature Series



Cab Chassis Ute Mudguards



Custom Mudguards




STEEL REINFORCED EDGE

PART NUMBER	MATERIAL	THICKNESS	WEIGHT
SS11SUTE*	Stainless Steel shiny finish	1.2mm	4.1kg
AM20SUTE	Aluminium mill finish	2.0mm	2.8kg

* Available in Signature Series



If you require a custom size mudguard outside our standard range, please contact us.



Mudflap and Dress Strip



Did you know you can get your mudguards pre-punched for Mudflap? Minimise your downtime! Contact our team to find out how



MUDFLAP

PART NUMBER	DESCRIPTION
MF2B	Black Mudflap 450 x 605mm, LELOX logo in Silver.

MUDFLAP DRESS STRIP

PART NUMBER	DESCRIPTION
MF2BDS304SS	Stainless steel Mudflap Dress Strip 3mm with LELOX Triangle. Includes all fasteners

MUDFLAP DRESS STRIP KIT

PART NUMBER	DESCRIPTION
MF2BDS304SSKIT	Includes MF2B and MF2BDS304SS



Loop Kit





Did you know you can get your mudguards pre punched for Loop kit? Minimise your downtime! Contact our team to find out how


PART NUMBER	MATERIAL	WEIGHT
LK1SS	2 Insertion Rubber pieces, 4 x MF2BDS304SS 304 grade Stainless Steel strips, Nuts & Bolts	3.3kg
LK1	2 Insertion Rubber pieces, 4 Stainless Steel Strips, Nuts & Bolts	3.3kg



LK1 used with Coverstrip. Coverstrip not included.



Includes 2 pieces to do both sides of the truck



Stainless Steel Strip can be purchased separately. Part number: SSS



Quick Release Mudflap Clamp



PART NUMBER	DESCRIPTION
QRMFCSS	Quick Release Mudflap Clamp for Stainless Steel mudguards
QRMFCPL620	Quick Release Mudflap Clamp for Plastic mudguards 620mm wide
QRMFCPL630	Quick Release Mudflap Clamp for Plastic mudguards 630mm wide
QRMFCPL650	Quick Release Mudflap Clamp for Plastic mudguards 650mm wide
ASB350	Anti Sail Bracket 350mm long
ASB550	Anti Sail Bracket 550mm long

- Prevent damage to your mudflaps
- Finish off your mudguards with this tough new look
- Install and remove mudflaps in a few minutes
- Mudflaps remain stable and secure under normal operation
- Mudflaps will release when sufficient tension is applied
- No moving parts to be seized up by mud and debris
- No modifications required to mudguards and chassis setup for fitment*
- Product includes backing plate, vibration dampeners, nuts and bolts



TIPPER CLAMPS

PART NUMBER	DESCRIPTION
QRMFCT	Quick Release Mudflap Clamp to suit Tipper

- Gain access easily to dual tyres
- Prevent damage to your mudflaps
- Install and remove mudflaps in a few minutes
- Mudflaps remain stable and secure under normal operation
- Mudflaps will release when sufficient tension is applied
- No moving parts to be seized up by mud and debris



Coverstrip

If the functionality of the quick release clamp is not needed but you still want to make your truck look great, fit LELOX's coverstrip!
Use with a loop kit or on its own!




PART NUMBER	DESCRIPTION
MFCSSS	Mudflap Coverstrip for Stainless Steel mudguards
MFCSP620	Mudflap Coverstrip for Plastic mudguards 620mm wide
MFCSP6204S	Mudflap Coverstrip for Plastic mudguards 620mm wide 4 slot
MFCSP630	Mudflap Coverstrip for Plastic mudguards 630mm wide
MFCSP6304S	Mudflap Coverstrip for Plastic mudguards 630mm wide 4 slot
MFCSP650	Mudflap Coverstrip for Plastic mudguards 650mm wide
MFCSP6504S	Mudflap Coverstrip for Plastic mudguards 650mm wide 4 slot



Plastic Mudguard Dress Strips

STAINLESS STEEL

PART NUMBER	PLASTIC MUDGUARD	LENGTH	WIDTH
PMDS1700	Spraysafe	1700mm	86mm
PMDS1720	Truckmate	1720mm	86mm
PMDS1755	Maxus	1755mm	86mm



Each dress strip set will dress a single plastic mudguard.

Included in each set:
2 pre punched stainless steel dress strips
4 button head socket screws
4 washers
4 nyloc nuts

Plastic Mudguard and Quick Release Clamp not included





Front Wheel Arch Flare Kit



PART NUMBER	MATERIAL	LENGTH	WIDTH
SS11FLA60	Stainless Steel shiny finish	Cut from SS11SINC	60mm
SS11FLA80	Stainless Steel shiny finish	Cut from SS11SINC	80mm
SS11FLA80K200	Stainless Steel shiny finish Suits Kenworth K200	Cut from Custom Guard	80mm
SS11FLAK220	Stainless steel shiny finish suits Kenworth K220	Cut from Custom Guard	80mm
SS15304FLA80N	Signature series 304 Grade Stainless Steel 1.5mm	Cut from SS15304SINCNG	80mm



Mounting Brackets



Signature Series
Cast from 304 Grade Stainless Steel
#600 High Polish Finish
Stainless Steel Dome Head Bolts



FOR METAL MUDGUARDS

PART NUMBER	MATERIAL	DESCRIPTION
MMAB	Cast Aluminium	Radius Bracket
MMABF	Cast Aluminium	Flat Bracket
MMAB-POL	Cast Aluminium	Radius Bracket





FOR PLASTIC MUDGUARDS

PART NUMBER	MATERIAL	DESCRIPTION
PMAB	Cast Aluminium	Radius Bracket
PMAB-POL	Cast Aluminium	Polished Radius Bracket


“SIGNATURE SERIES”

PART NUMBER	MATERIAL	DESCRIPTION
SSMBO	Stainless Steel	Radius Bracket (Open)
SSMBB	Stainless Steel	Radius Bracket (Blind)

Chassis Pipes



Optional part
SP1 Sub Plate



OFFSET

PART NUMBER	MATERIAL	WEIGHT
OSCP	Cast Aluminium Boss w/ Dura-Gal Tube *	3kg
OSCPSS	Cast Aluminium Boss w/ Stainless Steel Tube ^	3kg
OSCPSSPOL	Hand Polished Cast Aluminium Boss w/ Stainless Steel Tube	3kg
OSCP795	795mm Pole	3.5kg



STRAIGHT

PART NUMBER	MATERIAL	WEIGHT
STCP	Cast Aluminium Boss w/ Dura-Gal Tube	3kg
STCPSS	Cast Aluminium Boss w/ Stainless Steel Tube	3kg
STCPSSPOL	Hand Polished Cast Aluminium Boss w/ Stainless Steel Tube	3kg



* Dura-Gal tube equipped with Black plastic end cap (BP1)
^ Stainless Steel tube equipped with Stainless Steel end cap (SSEC)

Grade 8 High Tensile 5/8" Bolt (Not included)

All Offset Chassis Pipes come with hardened steel washer (must be used to ensure secure fitting) and black plastic plug for bolt concealment



PipeLight Holder



9.2053.07	DuraLED angle mounting spacer
9.2053.10BULK	Housing for DuraLED marker lamps - red
9.2054.11BULK	Housing for DuraLED marker lamps - white
9.2054.12BULK	Housing for DuraLED marker lamps - blue
9.2054.13BULK	Housing for DuraLED marker lamps - green
9.2054.14BULK	Housing for DuraLED marker lamps - yellow
2026	DuraLED amber light
2026BULK	DuraLED amber light (4 pack)
2051	DuraLED 'front' outline lamp
2051BULK	DuraLED 'front' outline lamp (4 pack)
2053	DuraLED side marker lamp – amber/red
2053BULK	DuraLED side marker lamp – amber/red (4 pack)
2053OEBULK	DuraLED side marker lamp – amber/red (24 pack)
2053PC	DuraLED PCside marker lamp – amber/red (20 pack)
2053SBULK	DuraLED side marker lamp – red/amber (4 pack)
2054	DuraLED front position/outline lamp
2054BULK	DuralLED front position/outline lamp (4 pack)
2307	DuralLED rear position/outline lamp – red
2307BULK	DuraLED rear position/outline lamp – red

COMPATIBLE HELLA MODELS

91602	LED amber/red side marker lamp, black base
91602C	LED amber/red side marker lamp, chrome base
91602W	LED amber/red side marker lamp, white base
91603	LED amber/red side marker lamp, black base (2.5 m cable)
91612	LED white outline marker lamp, black base
91612C	LED white outline marker lamp, chrome base
91612W	LED white outline marker lamp, white base
91613	LED white outline marker lamp, white base (2.5 m cable)
91622	LED amber outline marker lamp, black base
91622C	LED amber outline marker lamp, chrome base
91622W	LED amber outline marker lamp, white base
91623	LED amber outline marker lamp, black base (2.5 m cable)
91632	LED red outline marker lamp, black base
91632C	LED red outline marker lamp, chrome base
91632W	LED red outline marker lamp, white base
91642	LED amber side direction indicator lamp, black base
91642C	LED amber side direction indicator lamp, chrome base
91642W	LED amber side direction indicator lamp, white base
91643	LED amber side direction indicator lamp, black base (2.5 m cable)
91688	White deflector mounting base
91689	Chrome deflector mounting base
91690	Black deflector base to all model 15 and 16 lamps (base only)

COMPATIBLE NARVA MODELS




The PipeLight Holder is designed to fit flush into the open end of a chassis pipe. The chromed steel PipeLight Holder accepts compact LED lights that have housing mounting holes 28.5mm apart. The electrical lead runs through the pipe. Easy to install - includes 2 stainless steel rivets to secure the PipeLight Holder to the pipe.

No lights are included with the LELOX PipeLight Holder. The LELOX PipeLight Holder fits chassis pipe tubes that have an inner diameter of 41mm or greater. Drilling into chassis pipe required to connect electrical lead.



PART NUMBER	DESCRIPTION	WEIGHT
PLH1	Chromed Steel	0.15kg

C Channel Light Bar



C Channel light bar comes in kit form.
All components included.
Nuts, bolts and washers included

C CHANNEL LIGHT BAR

PART NUMBER	MATERIAL	WEIGHT
CCLB1 KIT	Steel, Powder Coated White	21kg

C CHANNEL LIGHT BAR DRESS STRIP

PART NUMBER	MATERIAL	LENGTH	WIDTH
CCLB1DSKIT	C Channel Light Bar with Stainless Steel Dress Strip	2400mm	155mm
CCLB1DS	C Channel Light Bar with Stainless Steel Dress Strip	2400mm	155mm



Tail Light Mounts



This model holds 3 horizontal grommet mounted rectangular tail lights:

3 x Narva model 45 or 46
or
3 x LED Autolamps model 130,5590,5940

This model holds 4 vertical grommet mounted rectangular tail lights:

4 x Narva model 45 or 46
or
4 x LED Autolamps model 130,5590,5940

This model holds 1 jumbo light:

1 x Hella LED jumbo light model 2416LED, 2423LED, 2424LED, 2427, 2428
or
1 x LED Autolamp J9 jumbo truck light model J9BARRM, J9BARXM, J9BARWM, J9CARRM, J9CARXM, J9CARWM
or
1 x Narva model 48 LED jumbo light model 94850, 94852, 94856H, 94857H

- **The tail light mounts are supplied in boxes of two.**
- **Some assembly is required, tail light mounts come in kit form - kit includes all items needed.**
- **Tail light mounts attach securely to chassis pipe.**
- **Lights are not included with tail light mount kits.**
- **Custom tail light mounts or blank face tail light mounts available - contact us for details.**

PART NUMBER	DESCRIPTION	WEIGHT
TLM3H	3 Horizontal Lights	1.48kg
TLM4V	4 Vertical Lights	1.62kg
TLMJUM	1 Jumbo Light	1.9kg



Spray Suppressant



RIGID BACKING

PART NUMBER	DESCRIPTION
RIG75	75mm filament, 1820mm pre-cut length. 770g/length
RIG100	100mm filament, 1820mm pre-cut length. 870g/length
RIG175	175mm filament, 1820mm pre-cut length. 1060g/length
RIG275	275mm filament, 1820mm pre-cut length. 1700g/length



FLEXIBLE BACKING

PART NUMBER	DESCRIPTION
FLX75	75mm filament, 60m coil or cut to size. 230g/m
FLX100	100mm filament, 60m coil or cut to size. 280g/m
FLX175	175mm filament, 1820mm pre-cut length. 640g/length
FLX275	275mm filament, 1820mm pre-cut length. 940g/length



Each kit includes 2 x arched rigid backed spray suppressant 1640mm long complete with clips and pop rivets, 1.5kg/kit.

ARCHED SPRAY SUPPRESSANT KIT

PART NUMBER	DESCRIPTION
SP25H	25mm filament, curved 'h' clips for curved edge mudguards
SP100H	100mm filament, curved 'h' clips for curved edge mudguards
SP100F	100mm filament, curved 'F' clips for reinforced edge mudguards

Accessories



HA-1



PART NUMBER	DESCRIPTION
HA-1 / HA-1C	'h' type aluminium clip, 8.2g
HA-2	'h' type aluminium clip, 16g
HS-1	'h' type steel clip, 5.5g
H-TR	'h' section aluminium track 2600mm long, 836g/length
FA-1	'F' type aluminium clip, 7.2g
FA-2	'F' type aluminium clip, 16g
FS-1	'F' type steel clip, 5.0g
F-TR	'F' section aluminium track 2600mm long, 784g/length



HA-1C



HA-2



HS-1



HS-1



FA-1



FA-2



FS-1



F-TR

LELOX's Good Truckin Polish

LELOX prides itself on innovation, whilst also producing quality and unique products.

When it comes to your truck, mudguards are the focal point. With LELOX stainless steel mudguards you stand out from the crowd.

They're durable, reliable and shiny. Use LELOX's GOOD TRUCKIN POLISH for Stainless Steel, on your LELOX stainless steel mudguards, mounts and accessories to keep them that way.

Directions:
Shake well before use. Polish in sections at a time.
Pour a small amount of product onto a suitable applicator.
Massage product thoroughly onto stainless steel surface.
Allow to dry to a chalky haze.
Remove residue with a clean microfiber cloth.
Continue to buff with microfiber until appropriate finish is desired.



PART NUMBER	DESCRIPTION
GTSSP	Good Truckin Polish for Stainless Steel. 470ml Polish, Microfibre Cloth& Sponge

Caution: May be harmful if swallowed. Do not induce vomiting. Contact a medical professional as soon as possible.
Skin irritation - If irritation of skin occurs, wash with soap and water.
Eye irritation - Flush eyes with flowing water for five minutes.
If inhalation is irritable, remove from exposure and move to an open space with fresh air.
CONTAINS: Aluminium oxide, silicone oil, SiO₂, MIT, essence, pure water.



sales@lelox.com



www.lelox.com

Merchandise



TRUCKER CAP



STUBBY HOLDER



YOGI T-SHIRT



MAKING TRUCKS LOOK GREAT GRAPHIC TEE



TRI-DRIVE PRIME MOVER T-SHIRT



AUSTRALIAN MADE T-SHIRT



FLANNEL SHIRT



3/4 SLEEVE BASEBALL TEE



HOODIE



LELOX MERCHANDISE

PRODUCT	DESCRIPTION
Lelox Trucker Hat	High Profile 59cm Crown, Snapback Custom Fit, Acrylic/Polyester, Black With Lelox Logo Patch Grey Mesh Back With A Red And Black Stripe
Lelox "Australian Made" Stubby Holder	Premium 5mm Neoprene, Non Slip Rubber Base, Fits 345ml And 375ml Bottles/Cans
Lelox Yogi Graphic Tee	Unisex Regular Fit, Mid Weight 180 Gsm, 100% Combed Cotton, Double Needle Hems, Preshrunk To Minimise Shrinkage. Available in Kids Sizes.
Lelox Making Good Trucks Look Great Graphic Tee	Unisex Regular Fit, Mid Weight 180 Gsm, 100% Combed Cotton, Double Needle Hems, Preshrunk To Minimise Shrinkage
Tri-Drive Prime Mover T-shirt	Unisex Regular Fit, Mid Weight 180 Gsm, 100% Combed Cotton, Double Needle Hems, Preshrunk To Minimise Shrinkage
Lelox Australian Made T-Shirt	Unisex Regular Fit, Mid Weight 180 Gsm, 100% Combed Cotton, Double Needle Hems, Preshrunk To Minimise Shrinkage
Lelox Flannel Shirt	Unisex Regular Fit, Heavy Weight 235 Gsm, 100% Cotton Flannel, Double Chest Pockets, Long Sleeve Button Up With Clear Buttons And Adjustable Cuffs, Preshrunk To Minimise Shrinkage
Lelox 3/4 Sleeve Baseball Tee	Unisex Regular Fit, Light Weight 150 Gsm, 100% Combed Cotton, Crew Neck With 3/4 Length Reglan Sleeves Double Needle Hems, Preshrunk To Minimise Shrinkage
Lelox Hoodie	Unisex Regular Fit, Heavy Weight 350 Gsm, 80% Cotton 20% Recycled Polyester Anti-Pill Fleece, Preshrunk To Minimise Shrinkage



Other Lelox Services




GARDEN TOOLS AUSTRALIA

Lelox's high quality line of garden accessories. Lelox has been proudly manufacturing its range of cast aluminium garden tools since the mid 1970's. The tools are cast in our in-house foundry from marine grade aluminium alloy. This material creates a virtually indestructible garden tool. Head to the website www.gardentoolsaustralia.com.au to find out more.




GASKETS AND SEALS

Lelox Gaskets and Seals has the experience and industry knowledge to meet your business requirements with "Good Old Fashioned Service". We stock a comprehensive range in Industrial Gaskets, Boiler Spares and Industrial supplies.



LASER & WATERJET CUTTING

At LELOX Cutting Services, we pride ourselves on precision cutting, with state-of-the-art technology and an unwavering commitment to quality. Our world class 12kW CNC laser cutting machine is engineered to handle a number of materials—mild steel, stainless steel, aluminium, brass, and copper—with unmatched accuracy and efficiency.



Share your **Big Rig** or you wearing **Lelox merch** on our account

Collaborate with Lelox



INVITE LELOX AS A COLLABORATOR ON INSTAGRAM IN FOUR EASY STEPS

STEP 1

Open Instagram




STEP 2

Upload your photos or videos and click tag people




STEP 3

Click Invite Collaborators



STEP 4

Find @leloxtruckparts and post



OR TAG US ON FACEBOOK AT LELOX-AUSTRALIA

Stainless Steel Mudguards 430 GRADE VS 304 GRADE

DO YOU KNOW THE DIFFERENCE?

Stainless steel comes in many grades, each with unique chemical compositions, tensile strengths, and other characteristics. This report examines two popular grades used in the transport industry – 430 and 304 – to help you understand their key differences and benefits.

WHAT IS STAINLESS STEEL?

Stainless steel is an alloy of iron and carbon. What sets it apart from other metals is the addition of chromium. To be classified as stainless steel, an alloy must contain at least 10.5% chromium. Chromium provides stainless steel with a passive layer of self-repair and enhanced corrosion resistance.

SIDE BY SIDE COMPARISON:

The primary difference between 430 and 304 stainless steel lies in their chemical composition, which significantly influences their properties and suitability for various applications.

ELEMENT	Carbon(C)	Chromium(Cr)	Nickel(Ni)	Manganese(Mn)	Silicon(Si)	Phosphorus(P)	Sulfur(S)	Nitrogen(N)
430 STAINLESS STEEL (%)	0.12 max	16.8-18.0	0.75 max	1.00 max	1.00 max	0.040 max	0.030 max	-
304 STAINLESS STEEL (%)	0.07 max	18.0-20.0	8.0-10.5	2.00 max	1.00 max	0.045 max	0.030 max	0.10

MAGNETIC PROPERTIES:

430: A ferritic grade of stainless steel, 430 is magnetic, similar to stainless steel kitchen knives that stick to a magnetic strip.

304: An austenitic grade, 304 is non-magnetic (slight magnetic properties can appear in 304 grade after cold working).

BENEFITS:

 FLEET SERIES 430 GRADE MUDGUARDS	 SIGNATURE SERIES 304 GRADE MUDGUARDS
Corrosion Resistance: Contains chromium for inherent corrosion resistance. Bright Annealed Finish: All Lelox 430 grade mudguards are a bright annealed (BA) finish. BA is a shiny finish due to a chemical heat treatment process at the mill. Durability: 430 grade mudguards have been used on Australian trucks since the 1970's. It is not uncommon to hear Lelox mudguards lasting over 1 million kilometres on a truck. Affordability: A cost-effective option that provides a step up from plastic mudguards, with all the benefits of stainless steel at a lower price point than 304.	Superior Corrosion Resistance: Excellent resistance to various on-road environments, including coastal areas with salt spray, chemicals, oils, and fuels. Mirror Finish: Lelox Signature series offers a true No.8 mirror finish, the highest possible polish for stainless steel. (If it's not NO.8 stainless steel its not a mirror finish). Enhanced Durability: Lelox 304 grade mudguards take durability to the next level. They are thicker and more durable due to the inherent properties of 304 stainless steel, making them less prone to cracking and deformation under extreme conditions. Competitive Pricing: Lelox offers the lowest price point in Australia for 304 grade mudguards with a No.8 mirror finish.

Lelox Australia is committed to providing high-quality stainless-steel mudguards to meet diverse needs and budgets. By understanding the differences between 430 and 304 grades, customers can make informed decisions based on their specific requirements and priorities.

H. Waller.

Matthew Walker

CHIEF OPERATING OFFICER

LELOX AUSTRALIA

Notes

[illegible]



We are delighted to have you as a customer and wanted to express our sincere appreciation for choosing our products. As an Australian made and owned company, your support means the world to us. By purchasing from us, you are not only receiving high-quality products but also supporting Australian manufacturing and helping us give back to the local community.

Your continued support allows us to continue creating jobs, fostering local talent, and contributing to the growth and sustainability of the local community. Together, we are making a positive impact and strengthening the Australian trucking industry.

Once again, thank you for your purchase and for supporting an Australian made and owned business. We look forward to serving you again in the future.

**Sincerely,
The LELOX Team**



INSTAGRAM



FACEBOOK



WEBSITE

**100 Argyle Street
South Windsor
NSW 2756
Australia**

www.lelox.com

